

Date: 05/11/2018

Certificate of Compliance H4 Treated “F7” Graded Timber

This is to certify that the following products are in compliance with **AS 1720.1 Timber Structures – Design Methods**, the supplements of **AS 1684.2 – 2010 Residential Timber Framed Construction**, and **AS 1604.1 Specification for preservative treatment, Part:1 Sawn and round timbre** and as described in **NCC2016**.

Product	Description
90x90	F7 Graded Timber Members
100x100	
125x75	

The above products were graded, and certified to the following standards:

- AS 2858 “*Timber – Softwood – Visually Stress Graded for Structural Purposes*”.
- Properties tabulated in AS 1720.1 “*Timber Structures, Part 1: Design methods*”.

Product details:

Use	<ul style="list-style-type: none"> - Framing outside in-ground in non-cyclonic areas as specified in AS1720.1, AS 1684.2 and its supplements, and AS 1604.1. - Refer to Wespine’s SDS “SUPAPINE CCA Treated Plantation Pine” published on Wespine’s website.
Wind classification/Loading	- In accordance with AS/NZS 1170.2 and AS 4055.
Exposure conditions	- Subject to severe wetting and leaching as per AS 1720.1, AS 1684.2 and AS 1604.1.
Installation, loads, spans and fastening requirements	- In accordance with AS 1720.1 and AS 1684.2 and its supplements.
Requirements for maintaining compliance with NCC	- Comply with loads/spans, hazard and wind classes as specified in AS 1720.1, AS 1684.2 and its supplements and AS 1604.1.

This certificate is applicable for the above H4 treated F7 Graded softwood supplied by Wespine Industries Pty Ltd.

Sincerely,



Rami Fares
BEng (Civil), MIEAust
Product & Process Engineer